

# INDEX MAPS.

## T. 9 N. R. 9 E. 2<sup>nd</sup> Mer.

	142	142	141	141	141	141						
144	6	165	5	159	4	156	3	152	2	148	1	140
	165		164		157		155		152		148	
144	7	164	8	159	9	155	10	151	11	148	12	140
	164		163		158		155		151		147	
144	18	163	17	158	16	154	15	151	14	147	13	140
	163		162		158		154		150		147	
143	19	162	20	157	21	154	22	150	23	146	24	139
	162		161		157		153		150		146	
143	30	161	29	157	28	153	27	149	26	146	25	139
	161		160		156		153		149		145	
142	31	160	32	156	33	152	34	149	35	145	36	139
	158		138		138		137		137		137	

## T. 10 N. R. 9 E. 2<sup>nd</sup> Mer.

	173		172		172		171		171			
175	6	196	5	190	4	186	3	183	2	179	1	177
	195		195		190		186		182		178	
174	7	195	8	190	9	186	10	182	11	178	12	170
	194		194		189		185		181		178	
174	18	194	17	189	16	185	15	181	14	177	13	170
	193		193		189		185		181		177	
174	19	193	20	188	21	184	22	180	23	176	24	169
	192		192		188		184		180		176	
173	30	192	29	188	28	184	27	180	26	176	25	169
	191		191		187		183		179		175	
173	31	191	32	187	33	183	34	179	35	175	36	168
	168		168		167		167		167		167	

(F) The figures on the lines refer to the page.

167  
Township N. 10 North, Range N. 9 East 2<sup>d</sup> Mer. Ind.  
ch. lks

### South Boundary

West On S. boundary of Sec. 36  
6.00 a Branch 4<sup>th</sup> wide Course S.  
23.00 a Do. 4 " " " S.  
40.00 Set of Sec. post, from which  
a Beech 9 m. dia. bray S 68° 11' 16" E 16<sup>th</sup> dist. of  
a Do. 10 " " " N 78° 19' " " "  
42.10 a Brook 3<sup>th</sup> wide Course S. E.  
72.20 a Do. 5 " " " S.  
80.00 Set post Cor. to Sec. 35 & 36, from which  
a Beech 13 m. dia. bray S 11° 15' E 15<sup>th</sup> dist. of  
a Logwood 8 " " " N 67° 4' " "  
Over good land

---

West On S. boundary of Sec. 35  
40.00 Set of Sec. post, from which  
a Beech 16 m. dia. bray S 88° 8' E 8<sup>th</sup> dist. of  
a Do — " " " N 45° 5' " "  
80.00 Set post Cor. to Sec. 34 & 35, from which  
a Poplar 50 m. dia. bray N 45° 12' E 12<sup>th</sup> dist. of  
a Beech 6 " " " N 67° 11' " "  
(Description of land &c. omitted)

---

West On S. boundary of Sec. 34  
25.19 a Brook 4<sup>th</sup> wide Course S.  
40.00 Set of Sec. post, from which  
a Beech 10 m. dia. bray N 18° 11' 12" E 12<sup>th</sup> dist. of  
a Do. 7 " " " S 2° 19' " "  
56.00 a Brook 5<sup>th</sup> wide Course N.  
72.50 a Do 3 " " " N. N. E.  
80.00 Set post Cor. to Sec. 33 & 34, from which  
a — 12 m. dia. bray S 88° 15' E 15<sup>th</sup> dist. of  
an Elm 8 " " " S 85° 45' " "  
Over rolling land, timber Beech, Poplar &c.

---

West On S. boundary of Sec. 33

T. N. R. G. 2<sup>d</sup> Mer. Indiana

ch. 1/2

16.50 at Brook 4 lns. wide C. &amp; N.W.

40.00 Let gr. Sec. post, from which  
a Beech 8 in. dia. bray S 5 E 2 3 lns. dist. of  
a Log? 4 " " " S 5 9 7 2 1 " "80.00 Let post Cor. to Sec. 32 & 33, from which  
a Beech 15 in. dia. bray S 11 1 1 6 lns. dist. of  
a Do. 11 " " " N 6 E 1 1 " "  
Over Broken land timber Beech, Oak &c.

Met On S. boundary of Sec. 32

28.20 a Creek 100 lns. wide Course S. W.

31.70 a Do 30 " " " S. E.

40.00 Let gr. Sec. post, from which  
a Blue Ash 14 in. dia. bray N 9 E 1 1 lns. dist. of  
a Beech 12 " " " S 5 4 1 1 2 9 " "80.00 Let post Cor. to Sec. 31 & 32, from which  
a Beech 20 in. dia. bray S 5 4 1 1 9 lns. dist. of  
a Sugar - " " " N 4 9 E 1 6 " "  
Over rolling land, timber Beech, Sugar,  
Poplar &c. undg<sup>d</sup>. Spruce

Met On S. boundary of Sec. 31

40.00 Let gr. Sec. post, from which  
an Oak 4 in. dia. bray N 3 1 1 7 lns. dist. of  
a Spruce? 3 " " " S 3 E 1 7 " "86.39 Intersected the N & S. line at the Town  
Corner. Over rolling land, timber Beech  
Oak, Sugar, Elm, &c. undg<sup>d</sup>. Spruce  
June 11<sup>th</sup> 1819

East Boundary var. 6° 45' E

North On E. boundary of Sec. 36

1.22 a Sugar 20 in. dia.

6.00 at Branch 4 lns. wide S. W.

10.00 a Do. 4 " " S. E.

40.00 Let gr. Sec. post, from which

# 169

## T10N-R9E, 2<sup>nd</sup> Mer. Indiana

ch. 1/2 l. 1/2

- a Beech 12 in. dia. bray S33W84m. dist. of  
 a do. 30 " " " N13E30 " "  
 47.00 a Branch 64m. wide Cr. S. W.  
 52.00 a do 6 " " " S. E  
 61.11 a Poplar 24 in. dia.  
 80.00 At post Cor. to Sec. 25 & 36, from which  
 a Beech 12 in. dia. bray S35W84m. dist. of  
 a do. 30 " " " S70E23 " "  
 Rolling 1<sup>st</sup> rate upland, timber Blue Ash,  
 Walnut, Sugar, Lym, Beech, undg<sup>th</sup>.  
 Spice Sparrow.

### North On E. boundary of Sec. 25

- 11.75 a Beech 24 in. dia.  
 20.00 a Branch 44m. wide Course W.  
 28.50 a do. 4 " " " N. W.  
 32.50 a do. 4 " " " N. W.  
 40.00 At gr. Sec. post, from which  
 a Beech 30 in. dia. bray S44W134m. dist. of  
 a Sugar 14 " " " N40E13 " "  
 48.93 a do. 36 " " "  
 58.50 a Branch 44m. wide Cr. S. W.  
 64.50 a Creek 25 m. " " N. W.  
 80.00 At post Cor. to Sec. 24 & 25, from which  
 a Beech 8 in. dia. bray S27W284m. dist. of  
 a do. 30 " " " S68E37 " "  
 Broken land 1<sup>st</sup> rate, timber Beech, Sugar  
 Walnut, Hickory &c. undg<sup>th</sup> Spice Sparrow

### North On E. boundary of Sec. 24

- 23.00 a Branch 44m. wide Cr. S. W.  
 29.00 a Beech 18 in. dia.  
 39.50 a Branch 18 m. wide Course S. W.  
 40.00 At gr. Sec. post (in N. edge of branch) from which  
 a Sugar 10 in. dia. bray S64W274m. dist. of  
 a Beech 10 " " " N69E42 " "



170 *W. N. R. G. E. 2<sup>d</sup> Mer. Indiana*

at Beech 24 in. dia.  
 52.50 a Branch 4 in. wide C. S. W.  
 63.50 a do. 4 " " " S. W.  
 78.00 a do. 4 " " " S. W.  
 80.00 at first cor. to Sec. 13 & 24, from which  
 a Sugar 13 in. dia. bay N 56 E 9 in. dia. &  
 a Beech 10 " " " N 64 W 13 "  
 1<sup>st</sup> 1/2 mile rich 1<sup>st</sup> rate level land, last 1/2 mile  
 broken 2<sup>d</sup> rate land, Sugar, Beech, Poplar  
 Walnut &c. underg<sup>th</sup>. Spruce &c.

North On E. boundary of Sec. 13  
 2.86 a Poplar 36 in. dia.  
 11.00 a Branch 4 in. wide C. S. W.  
 22.00 a do. 4 " " " S. W.  
 26.50 a do 4 " " " S. W.  
 35.50 a same 4 " " " S. E.  
 37.00 same 4 " " " S. W.  
 40.00 at gr. Sec. post, from which  
 a Beech 15 in. dia. bay N 28 W 19 in. dia. &  
 a do. 8 " " " N 28 E 8 " "  
 55.55 a Branch 10 in. wide C. S. W.  
 76.36 a Poplar 24 in. dia.  
 80.00 at first Cor. to Sec. 12 & 13, from which  
 a Walnut 6 in. dia. bay N 61 W 14 in. dia. &  
 a Beech 15 " " " N 12 E 39 "  
 level land good soil, timber Beech & Poplar  
 Walnut, Sugar, & underg<sup>th</sup>. Spruce & hawthorn

North On E. boundary of Sec. 12  
 32.34 a Blue Ash 15 in. dia.  
 38.00 a Branch 6 in. wide Course S. W.  
 40.00 at gr. Sec. post, from which  
 a Beech 10 in. dia. bay N 89 E 24 in. dia. &  
 a do. 12 " " " N 72 W 8 " "  
 52.47 a Poplar 24 " "

W. A. R. G. E. 2<sup>d</sup> Mer. Indiana 171

ch. 2<sup>nd</sup> l<sup>y</sup>

70.00 a Branch 10 l<sup>y</sup>, wide Cr. N.

78.00 a Beech 20 m. dist.

80.00 At post Cor. to Sec. 1 & 12, from which  
a Beech 14 m. dist. (branch N 44 E 24 l<sup>y</sup>, dist. 3  
a, do. 15 " " " S 85 W 13 " "  
Level 1<sup>st</sup> rate land, timber Beech, Sugar  
Walnut &c. underg<sup>m</sup>. Spruce & paper pine

---

North On E. boundary of Sec. 1

10.50 a Creek 75 l<sup>y</sup>, wide Cr. S. W.

29.60 a Mulberry 18 m. dist.

40.00 At q<sup>r</sup>. Sec. post, from which  
a B<sup>eech</sup> 12 m. dist. (branch N 2 E 14 l<sup>y</sup>, dist. 3  
a Beech 10 " " " N 13 W 14 " "

61.89 a do. 24 " "

80.00 At post Cor. to Township 10 of N. North  
Range 9 & 10 E, from which  
a Beech 15 m. dist. (branch S 68 E 15 l<sup>y</sup>, dist. 3  
an Ash 10 " " " N 12 W 6 " "  
(Description of land &c. omitted)

---

North Boundary var. 7.15. E  
West On S. boundary of Sec. 36, T. 11 N. R. 9 E

39.00 a Branch 4 l<sup>y</sup>, wide Cr. S. W.

40.00 At q<sup>r</sup>. Sec. post, from which  
a Beech 10 m. dist. (branch N 10 E 9 l<sup>y</sup>, dist. 3  
an Ash 18 " " " S 35 W 7 " "

63.00 a Branch 20 l<sup>y</sup>, wide Cr. S. W.

80.00 At post Cor. to Sec. 35 & 36, from which  
a Beech 12 m. dist. (branch S 71 E 8 l<sup>y</sup>, dist. 3  
a, do. 10 " " " N 54 E 10 " "  
Level rich land, timber Beech, Ash, Walnut  
&c. underg<sup>m</sup>. Spruce &c.

---

West On S. boundary of Sec. 35, T. 11 N. R. 9 E.

0.15 a Branch 15 l<sup>y</sup>, wide Course S. W.

172

T.M. R9E. 3<sup>rd</sup> Mer. Indianach. 1<sup>st</sup> m.

- 40.00 Set of Sec. post, from which  
 a Beech 20 in. dia. bears N 77° E 16 lbs. dist. 4  
 a Sugar 15 " " " S 15° W 14 " "
- 15.00 a Branch 10 lbs. wide course S.
- 80.00 Set post Cor. to Sec. 34 & 35, from which  
 a Sugar 20 in. dia. bears S 10° W 13 lbs. dist. 4  
 an Ash 15 " " " N 87° E 15 " "
- Land level and rich - timber Beech Poplar  
 Walnut Ash & undergrowth Spice Pawpaw -

West On S. boundary of Sec. 34, T.M. R9E.

- 44.00 Set of Sec. post, from which  
 a Buckeye 15 in. dia. bears N 4° E 29 lbs. dist. 4  
 a Beech 10 " " " S 7° E 38 " "
- 62.25 a Creek 50 lbs. wide course S. E.
- 80.00 Set post Cor. to Sec. 33 & 34, from which  
 an Ash 10 in. dia. bears S 58° W 12 lbs. dist. 4  
 a Buckeye 9 " " " N 54° W 29 " "
- Land timber &c. same as on last mile

West On S. boundary of Sec. 33, T.M. R9E.

- 40.00 Set of Sec. post, from which  
 a Beech 18 in. dia. bears N 24° E 18 lbs. dist. 4  
 a Do. 12 " " " S 16° W 19 " "
- 80.00 Set post Cor. to Sec. 32 & 33, from which  
 a Hickory 18 in. dia. bears S 46° E 8 lbs. dist. 4  
 a Do. 30 " " " N 45° W 46 " "
- Level rich rather flat land, timber Beech,  
 Poplar, Ash &c. undergrowth Spice

West On S. boundary of Sec. 32, T.M. R9E.

- 40.00 Set of Sec. post, from which  
 an Ash 18 in. dia. bears N 74° W 15 lbs. dist. 4  
 a Gum 39 " " " N 12° W 8 " "
- 80.00 Set post Cor. to Sec. 31 & 32, from which  
 a Beech 14 in. dia. bears N 10° W 20 lbs. dist. 4

173

T10 N - R9 E. 2<sup>nd</sup> Mer. Indiana  
 ch. P. 47  
 an Ash 8 m. dia. bray S 40 E 15 ltn. dist.  
 Sand timber &c same as on last mile

---

West On S. boundary of Sec. 31, T10 N. R9 E.  
 40.00 Set gr. Sec. post, from which  
 a Beech 32 m. dia. bray N 15 W 15 ltn. dist. of  
 a Do. 14 " " " N 61 W 21 " "  
 78.25 Intersected the Corner of Town 10 of N. 11th  
 Range 8 of 9 East, from which  
 a Beech 18 m. dia. bray N 77 E 11 ltn. dist. of  
 an Ash 18 " " " S 45 W 25 " "  
 Sand timber &c same as on the last mile  
 June 19<sup>th</sup> 1819

---

West Boundary.

North On E. boundary of Sec. 36, T10 N. R8 E.  
 22.40 a Branch 8 ltn. wide Cr. E.  
 24.62 a Beech 20 m. dia.  
 32.65 a Branch 10 ltn. wide Cr. S. E.  
 40.00 Set gr. Sec. post, from which  
 a Beech 24 m. dia. bray N 44 E 5 ltn. dist. of  
 a Do. 30 " " " N 44 W 15 " "  
 46.74 an Ash 30 " "  
 75.15 a Hickory 27 " "  
 80.00 Set post Cor. to Sec. 25 of 36, from which  
 an Ash 18 m. dia. bray N 7 E 22 ltn. dist. of  
 a Hickory 18 " " " N 32 E 28 " "  
 Over level land, timber Beech, ash, Poplar &c.  
 undng<sup>d</sup>. Spruce,

---

North On E. boundary of Sec 25, T10 N. R8 E.  
 24.30 an Elm 12 m. dia.  
 40.00 Set gr. Sec. post, from which  
 a Beech 9 m. dia. bray N 18 E 2 ltn. dist. of  
 a Maple 18 " " " S 54 E 4 " "  
 63.40 an Ash 12 " "



174 *Hot N. R 9 E. 2<sup>nd</sup> Mer. Indiana*

ch. 1/2 m.  
80.00 At post Cor. to Sec. 24 & 25, from which  
a Beech 9 m. dist. (branch N 47 1/2 W 13 m. dist. &  
a Do. 30 " " " S 59 E 16 " "  
Over level land, timber Beech, Hickory &  
underg. Spruce &c. Soil good

North On E. boundary of Sec. 24, *Hot N. R 8 E*

7.03 a Branch 8 m. wide C.P. S. E.

20.21 a Beech 10 m. dist.

40.00 At q. Sec. post, from which  
a Beech 20 m. dist. (branch N 36 1/2 W 9 m. dist. &  
an Ash 12 " " " S 54 E 32 " "

65.29 a Beech 9 " "

73.40 a Poplar 36 " "

80.00 At post Cor. to Sec. 13 & 24, from which  
a Beech 12 m. dist. (branch N 67 1/2 W 12 m. dist. &  
a Do. 14 " " " S 72 E 27 " "  
Land timber &c. Same as on last mile

North On E. boundary of Sec. 13, *Hot N. R 8 E.*

13.05 a Poplar 36 m. dist.

15.55 a Do 48 " "

26.50 a Branch 12 m. wide C.P. W.

40.00 At q. Sec. post, from which  
a Blue Ash 6 m. dist. (branch N 77 1/2 W 9 m. dist. &  
a Beech 27 " " " S 23 E 15. " "

63.40 a Do. 20 " "

80.00 At post Cor. to Sec. 12 & 13, from which  
a Beech 24 m. dist. (branch N 62 E 29 m. dist. &  
a Do. 22 " " " S 42 W 19 " "  
Land timber &c. Same as on last mile

North On E. boundary of Sec. 12, *Hot N. R 8 E*

2.12 a Beech 30 m. dist.

16.05 a Poplar 60 " "

40.00 At q. Sec. post, from which

175  
N 1/2 Sec. 1, T10N. R9E. 2d Mer. Indiana

ck. 1/2 m. a Beech 6 in. dia. bears N 74 1/2 E 2 lks. dist. of  
a Do. 6 " " " N 58 W 14 " "  
51.03 a Beech 15 " " "  
80.00 Set post Cor. to Sec. 1 of 12, from which  
a Beech 15 in. dia. bears N 34 W 22 lks. dist. of  
a Do. 18 " " " N 1 E 11 " "  
Land timber &c. Same as on last mile

---

North On E. boundary of Sec. 1, T10N. R8E.

7.38 a Beech 18 in. dia.  
9.70 a Branch 20 lks. wide Cr. S. W.  
40.00 Set q. Sec. post, from which  
a Beech 22 in. dia. bears N 15 W 32 lks. dist. of  
a Do. 20 " " " N 84 1/2 E 4 " "  
52.75 a Beech 20 " " "  
80.00 Set temp. Town Corner.

(Description of Land &c. Omitted)

June 14<sup>th</sup>, 1819, John McDonald,

Deputy Surveyor Comp.

---

### Subdivision

North Between Secs. 35 & 36

32.16 a Beech 16 in. dia.  
40.00 Set q. Sec. post, from which  
a Beech 24 in. dia. bears S 13 E 8 lks. dist. &  
a Do. 20 " " " N 45 W 27 " "  
74.66 a Beech 13 " " "  
80.00 Set post Cor. to Secs. 25, 26, 35 & 36, from which  
a Beech 24 in. dia. bears N 23 E 13 lks. dist. &  
a Do. 15 " " " S 11 W 13 " "  
Land broken 2<sup>d</sup> rate timber Beech Ash Poplar Sugar  
undergrowth Spice

---

East On Pradom between Secs. 25 & 36.

40.00 Set temp. q. Sec. post,  
79.78 Intersected the E. boundary 76 lks. S. of post

176

# Twp. 29 E. 2<sup>nd</sup> Mer Indiana

Ch. 1<sup>st</sup>

Land level 2<sup>nd</sup> rate beech Poplar Sugar Ash  
undergrowth Spice

West Corrected between Sec<sup>s</sup>. 25 & 26

39.89 Set q<sup>r</sup>. Sec. post, at average dist. from which  
a Beech 9 in. dia. bears S 26° W 30 lbs. dist. &  
a No. 8 " " " N 2° W 18 " "

79.78 to Section Corner

North Between Sec<sup>s</sup>. 25 & 26

28.87 a Stream 15 lbs. wide Course S. W.

31.75 a Beech 19 in. dia. "

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 9 in. dia. bears S 48° W 9 lbs. dist. &  
a No. 18 " " " N 58° E 36 " "

46.00 a Beech 11 " "

80.00 Set post Cor. to Sec<sup>s</sup>. 23, 24, 25 & 26, from which  
a Walnut 9 in. dia. bears S 29° W 6 lbs. dist. &  
a Buckeye 4 " " " N 22° E 30 " "  
Land broken 2<sup>nd</sup> rate Beech Poplar Sugar &c.  
undergrowth Spice

East On Random between Sec<sup>s</sup>. 24 & 25

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

79.33 Intersected the E. boundary 75 lbs. N. of post  
Land level 2<sup>nd</sup> rate timber as before

West Corrected between Sec<sup>s</sup>. 24 & 25

39.66 Set q<sup>r</sup>. Sec. post, at average dist. from which  
a Beech 24 in. dia. bears N 58° E 8 lbs. dist. &  
a No. 6 " " " N 89° W 29 " "

79.33 to Section Corner

North Between Sec<sup>s</sup>. 23 & 24

12.50 a Stream 16 lbs. wide Course W.

22.50 a Beech 36 in. dia.

# T.M. R. & Co. 2<sup>nd</sup> Mer. Indiana 177

ch. l. l. l.

- 40.00 Set of Sec. post. from which  
a Sugar 30 in. dia. bears S 55 W 8 lks. dist. &  
a Beech 12 " " " N 45 E 12 " "
- 51.25 a Walnut 20 " "
- 80.00 Set post Cor. to Secs. 13, 14, 23 & 24, from which  
a Beech 10 in. dia. bears N 69 W 12 lks. dist. &  
a Sugar 36 " " " S 60 E 21 " "  
the first half mile broken 2<sup>nd</sup> rate - last rolling  
first rate Beech Sugar Poplar undergrowth Spice &c.

East On Random between Secs. 13 & 24

- 40.00 Set temp. of Sec. post
- 67.30 a Stream 10 lks. wide Course S. E.
- 78.50 Intersected the E. boundary 12 1/4 lks. N. of post  
first 1/2 mile rolling first rate - last half broken  
2<sup>nd</sup> rate timber Beech Poplar Sugar undergrowth Spice &c.

West Connected between Secs. 13 & 24

- 39.25 Set of Sec. post, at average dist. from which  
a Beech 6 in. dia. bears S 59 E 9 lks. dist. &  
a No. 24 " " " N 57 W 21 " "
- 78.51 To Section Corner

North Between Secs. 13 & 14

- 28.60 a Poplar 50 in. dia.
- 40.00 Set of Sec. post. from which  
a Sugar 8 in. dia. bears S 6 W 8 lks. dist. &  
a No. 10 " " " N 15 W 4 " "
- 55.50 a Beech 23 " "
- 60.50 a Stream 45 lks. wide Course S. W.
- 80.00 Set post Cor. to Secs. 11, 12, 13 & 14, from which  
a Sycamore 40 in. dia. bears North 13 lks. dist. &  
a Buckeye 10 " " " S 21 W 11 " "  
Land broken 2<sup>nd</sup> rate Beech Poplar Sugar &c.  
undergrowth Spice &c.



178

S. N. R. G. E. 2<sup>d</sup>. Mer. Indiana

ch. l. m.

East On Random between Sect. 12 &amp; 13.

- 1.62 a Stream 50 lks. wide Course S.  
 40.00 Set temp. q. Sec. post.  
 78.50 Intersected the E. boundary 1.07 lks. N. of post.  
 Land timber &c. Same as last. Mile

West Corrected between Sect. 12 &amp; 13.

- 39.25 Set q. Sec. post. at average dist. from which  
 a Beech 8 in. dia. bears N 83 W 14 lks. dist. &  
 a Ironwood 8 " " " S 77 E 16 " "  
 78.50 to Section Corner

North Between Sect. 11 &amp; 12

- 1.00 a Stream 50 lks. wide Course S. E.  
 7.00 a Beech 3 1/2 in. dia.  
 40.00 Set q. Sec. post. from which  
 a Beech 8 in. dia. bears S 11 W 23 lks. dist. &  
 a Sugar 8 " " " N 46 E 14 " "  
 80.00 Set post Cor. to Sect. 1, 2, 11 & 12. from which  
 a Sugar 12 in. dia. bears N 71 E 20 lks. dist. &  
 an Elm 20 " " " S 21 W 28 " "  
 first half mile level and first rate. & the last 1/2 mile  
 broken 2<sup>d</sup> rate Beech, Poplar, Sugar, Elm &c.  
 undergrowth Spice &c.

East On Random between Sect. 1 &amp; 12.

- 1.50 a Stream 22 lks. wide Course S. E.  
 40.00 Set temp. q. Sec. post.  
 66.35 a Stream 60 lks. wide Course S.  
 78.00 Intersected the E. boundary 40 lks. N. of post.  
 Land rolling first rate timber Beech Sugar Ash  
 Poplar undergrowth Spice. Land creek is a beautiful  
 stream rocky bottom. July 31<sup>st</sup> 1819.

West Corrected between Sect. 1 &amp; 12

- 39.00 Set q. Sec. post. at average dist. from which

# 179

## S. N. R. G. E. 2<sup>d</sup> Mer. Indiana

ch<sup>2</sup> 1/4

a R. Oak 24 in. dia. bears West 4 lvs. dist. 4  
 a Beech 20 " " " N 84 E 5 " "  
 78.00 to Section Corner

North Between Secs. 1 & 2

4.60 a stream 23 lvs. wide course S. E.  
 10.38 an Ironwood 4 in. dia.  
 40.00 Set qf. Sec. post. from which  
 a Beech 8 in. dia. bears S 28 W 14 lvs. dist. 4  
 a Sugar 9 " " " N 40 E 43 " "  
 55.75 a Beech 25 " "  
 68.80 a stream 12 lvs. wide course S. W.  
 79.11 Intersected the N. boundary 311 lvs. E. of post.  
 Set post Cor. to Secs. 1 & 2, from which  
 a Beech 12 in. dia. bears N 82 W 11 lvs. dist. 4  
 a Do. 10 " " " N 83 E 23 " "  
 Land level first rate timber Beech Sugar &c.  
 undergrowth Spice.

North Between Secs. 34 & 35.

2.11 a Cherry 8 in. dia.  
 40.00 Set qf. Sec. post. from which  
 a Beech 20 in. dia. bears N 64 W 7 lvs. dist. 4  
 a Sugar 6 " " " S 12 W 19 " "  
 80.00 Set post Cor. to Secs. 26, 27, 34 & 35, from which  
 a Buckeye 6 in. dia. bears N 7 E 19 lvs. dist. 4  
 a Beech 18 " " " S 31 W 6 " "  
 Land broken 2<sup>d</sup> rate timber Beech Sugar underg.  
 Spice and pawpaw &c.

East On Random between Secs. 26 & 35

13.10 a stream 12 in. dia.  
 40.00 Set temp. qf. Sec. post.  
 79.60 Intersected the N. & S. line 17 lvs. N. of post.  
 Land broken 2<sup>d</sup> rate Beech Ash Sugar underg. &c. Spice &c.

180

# North R9E 2<sup>d</sup> Mer. Indiana

ch<sup>2</sup>ly

West Corrected between Sect. 26 &amp; 35

39.80 Set of. Sec. post, at average dist. from which  
a Beech 24 in. dia. bears N 89 W 5 lks. dist. &  
an Ash 4 " " " S 66 E 28 " "

79.60 to Section Corner

North Between Sect. 26 &amp; 27

14.25 a Sugar 9 in. dia.

17.50 a Stream 62 lks. wide Course S.W.

40.00 Set of. Sec. post; from which  
a Sugar 12 in. dia. bears N 8 E 7 lks. dist. &  
a No. 6 " " " S 2 W 25 " "

45.18 a Lynn 36 " "

80.00 Set post cor. to Sect. 22, 23, 26 & 27. from which  
an Ironwood 3 in. dia. bears N 61 W 12 lks. dist. &  
a No. 3 " " " S 56 E 31 " "

Land broken with rich Hilly 2<sup>d</sup> rate Beech, Ash,  
Sugar undergrowth Spice and papaw, Dogwood.

August 1<sup>st</sup> 1819.

East On Random between Sect. 23 &amp; 26.

32.80 a Stream 60 lks. wide Course S.W.

40.00 Set temp. of. Sec. post.

79.65 Intersected the N. &amp; S. line 81 lks. S. of post.

Land much broken Soil good 2<sup>d</sup> rate beech sugar  
buckeye Coffeenut underg<sup>th</sup> Spice

West Corrected between Sect. 23 &amp; 26

39.82 Set of. Sec. post, at average dist. from which  
a Beech 18 in. dia. bears S 86 E 17 lks. dist. &  
a No. 18 " " " S 89 W 25 " "

79.65 to Section Corner

North Between Sect. 22 &amp; 23

9.12 a Beech 9 in. dia.

19.04 a Stream 16 lks. wide Course S.E.

# 181

## T. N. N. 9 E. 2<sup>d</sup> Mer. Indiana

ch. S. 1/4

- 40.00 Set q. Sec. post, from which  
an Ash 18 in. dia. bears S 86 E 4 lks. dist. &  
a Dogwood 3 " " " N 87 W 16 " "
- 80.00 Set post Cor. to Secs. 14, 15, 22 & 23, from which  
a Sugar 18 in. dia. bears N 33 W 24 lks. dist. &  
a No. 9 " " " S 30 E 26 " "  
Land rolling 2<sup>d</sup> rate Beech Sugar Ash &c.  
undergrowth Spice

- East On Random between Secs. 14 & 23
- 30.26 a Stream 7 lks. wide Course S. E.
- 40.00 Set temp. q. Sec. post
- 51.52 a Stream 13 lks. wide Course S.
- 59.80 a No. 50 " " " S.
- 78.00 Intersected the N. & S. line 1.75 lks. S. of post.  
first half mile rolling last half level 2<sup>d</sup> rate  
Beech Sugar undergrowth Spice.

- West Corrected between Secs. 14 & 23
- 39.00 Set q. Sec. post, at average dist. from which  
a Beech 4 in. dia. bears N 48 E 4 lks. dist. &  
a No. 4 " " " N 40 W 8 " "
- 78.00 to Section Corner

- North Between Secs. 14 & 15
- 40.00 Set q. Sec. post from which  
an Ironwood 7 in. dia. bears N 13 E 16 lks. dist. &  
a No. 5 " " " S 22 W 13 " "
- 64 80 a Sugar 11 " " "
- 80.00 Set post Cor. to Secs. 10, 11, 14 & 15, from which  
a Beech 36 in. dia. bears S 36 E 37 lks. dist. &  
a Sugar 18 " " " N 6 W 20 " "  
Land rolling 2<sup>d</sup> rate timber beech sugar Ash  
undergrowth Spice &c.

- East On Random between Secs. 11 & 14



182

## S.W. 1/4 Sec. 2, Mer. Indiana

ch. l. l. h.

40.38 a Stream 31 l. h. wide Course S.

40.00 Set temp. of. Sec. post.

78.30 Intersected the N. & S. line 5 l. h. N. of post.  
Land timber &c. Same as last mile

West Corrected between Sec. 11 &amp; 14

39.15 Set of. Sec. post, at average dist. from which  
a Beech 6 in. dia. bears S 1 W 4 l. h. dist. 4  
a No. 6 " " " N 16 E 13 " "

78.30 to Section Corner

North Between Sec. 10 &amp; 11

15.54 a Beech 30 in. dia.

40.00 Set of. Sec. post, from which  
a Beech 6 in. dia. bears S 2 E 26 l. h. dist. 4  
an Ironwood 4 " " " N 11 W 9 " "

78.50 a Poplar 48. " "

80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which  
a Beech 30 in. dia. bears N 18 E 22 l. h. dist. 4  
a Sugar 12 " " " S 18 W 16 " "  
Land level first rate Sugar, Beech, Poplar, Ash,  
undergrowth Spice &c.

East On Random between Sec. 2 &amp; 11

40.00 Set temp. of. Sec. post.

79.32 Intersected the N. &amp; S. line 45 l. h. S. of post.

Land level and very rich but inclining to wet  
timber Beech, Poplar, Sugar, Ash, Walnut &c.  
undergrowth Spice &c.

West Corrected between Sec. 2 &amp; 11

39.66 Set of. Sec. post, at average dist. from which  
a Maple 12 in. dia. bears N 25 W 8 l. h. dist. 4  
a Swp. Oak — " " " S 72 E 15 " "

79.32 to Section Corner

# 183

## Mt. C. E. 2<sup>d</sup>. Mer. Indiana

ch. 11th

North Between Sect. 2 & 3

17.40 a Beech 7 in. dia.

40.00 Set q. Sec. post, from which  
a Beech 4 in. dia. bears S 76 E 18 lbs. dist. 4  
an Ash 18 " " " N 71 W 6 " "

79.29 Intersected the N. boundary 82 lbs. E. of post.

Set post Cor. to Sect. 2 & 3, from which

a Beech 24 in. dia. bears N 55 E 25 lbs. dist. 4

a Cherry 3 " " " S 55 W 14 " "

Land level first rate Beech, Sugar, Poplar, Spice

August 2<sup>nd</sup> 1819

North Between Sect. 33 & 34

39.25 a Stream 56 lbs. wide Course S. W.

40.00 Set q. Sec. post. from which

a Sycamore 2 in. dia. bears N 18 E 25 lbs. dist. 4

a " 3 " " " S 27 E 67 " "

43.25 a Hackberry 23 " "

80.00 Set post Cor. to Sect. 27, 28, 33 & 34, from which

a Beech 7 in. dia. bears S 77 E 4 lbs. dist. 4

a Hickory 7 " " " S 76 W 23 " "

Hilly 3<sup>rd</sup> rate land Beech Sugar Poplar &c.  
undergrowth Spice &c.

East On Random between Sect. 27 & 34

40.00 Set temp. q. Sec. post

48.53 a Stream 56 lbs. wide Course S.

81.83 Intersected the N. & S. line 85 lbs. N. of post.

first half mile Hilly 3<sup>rd</sup> rate land - last half

rolling 2<sup>nd</sup> rate land Sugar beech Buckeye &c.

undergrowth Spice &c.

West Corrected between

40.91 Set q. Sec. post, at average dist. from which

an Ironwood 3 in. dia. bears S 5 W 6 lbs. dist. 4

a Beech 4 " " " N 15 E 18 " "

184 Mt N 9 E 2<sup>d</sup> Mer. Indiana

ch 2<sup>nd</sup> 1/4

81.83 to Section Corner

---

North Between Secs. 27 & 28

22.09 a Hickory 10 in. dia.

40.00 Set of Sec. post. from which

a Beech 18 in. dia. bears S 26 E 9 lb. dist. &

a Sugar 10 " " " N 49 W 31 " "

51.72 a Beech 6 " "

80.00 Set post Cor. to Secs. 21, 22, 27 & 28, from which

a Sugar 10 in. dia. bears N 30 W 7 lb. dist. &

a Beech 30 " " " S 20 E 17 " "

Land level 2<sup>d</sup> rate timber Beech, Sugar &c.  
undergrowth Spice

---

East On Random between Secs. 22 & 27

40.00 Set temp. of Sec. post.

81.93 Intersected the N. & S. line at the post.

Land level first rate timber Beech Sugar &c.  
undergrowth Spice &c

---

West Corrected between Secs. 22 & 27.

40.96 Set of Sec. post. at average dist. from which

an Ironwood 4 in. dia. bears S 6 E 7 lb. dist. &

a Beech 9 " " " N 46 W 8 " "

81.93 to Section Corner

---

North Between Secs. 22 & 21

7.11 a Beech 7 in. dia.

40.00 Set of Sec. post. from which

a Beech 4 in. dia. bears S 35 E 13 lb. dist. &

a Do. 38 " " " N 5 W 31 " "

71.25 a Beech 6 " "

80.00 Set post Cor. to Secs. 15, 16, 21 & 22, from which

a Beech 5 in. dia. bears S 35 W 16 lb. dist. &

a Sugar 5 " " " N 12 W 13 " "

Land rolling first rate timber. Beech, Sugar &

185

St. Regis 2<sup>nd</sup> Mer. Indiana  
ch. l. k. Ash - undergrowth Spice &c.

---

East On Prandom between Sec. 15 & 22

40.00 Set temp. g. Sec. post.

83.76 Intersected the N. & S. line 40 l. S. of post.

Land level first rate timber Beech, Sugar, Ash,  
undergrowth Spice &c.

---

West Corrected between Sec. 15 & 22

41.88 Set g. Sec. post. at average dist. from which  
a Beech 4 in. dia. bears S 10 E 14 l. dist. &  
a No. 11 " " " S 9 N 39 " "

83.76 to Section Corner

---

North Between Sec. 15 & 16

4.31 a Beech 12 in. dia.

40.00 Set g. Sec. post. from which

a Sugar 10 in. dia. bears S 78 W 29 l. dist. &

a Beech 11 " " " N 41 E 8 " "

56.07 a No. 6 " "

60.03 a Stream 42 l. wide Course N.

80.00 Set post. Cor. to Sec. 9, 10, 15 & 16, from which

a Beech 7 in. dia. bears S 6 E 2 l. dist. &

a Sugar 30 " " " N 12 W 19 " "

Land level first rate timber Beech, Sugar, W. Oak,  
undergrowth Spice

---

East On Prandom between Sec. 10 & 15

21.33 a Stream 56 l. wide Course S. W.

40.00 Set temp. g. Sec. post.

84.80 Intersected the N. & S. line 40 l. N. of post.

first half mile broken 2<sup>nd</sup> rate last half mile  
level first rate Beech, Sugar, Ash, Poplar &c,  
undergrowth Spice &c.

---

West Corrected between Sec. 10 & 15



# Town of E. 2<sup>nd</sup> Mer. Indiana

ch. 1. 1/2

- 42.10 Set of Sec. post, at average dist. from which  
a Sugar 20 in. dia. bears N 35° W 10 lbs. dist. &  
a Beech 12 " " " S 32 E 27 " "  
84.80 to Section Corner

## North Between Sec. 9 & 10

- 1.00 a Beech 7 in. dia.  
40.00 Set of Sec. post, from which  
a Beech 4 in. dia. bears N 56° W 3 lbs. dist. &  
a No. 5 " " " S 86 E 2 " "  
56.60 a Beech 13 " "  
67.00 a beautiful Spring Course East  
80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which  
a Beech 7 in. dia. bears S 68 E 13 lbs. dist. &  
a No. 13 " " " N 50 W 5 " "  
Land rolling first rate timber Beech, Ash, Oak,  
Walnut &c. Undergrowth Spice -

## East On Prandon between Sec. 3 & 10

- 26.72 a Stream 45 lbs. wide Course S.  
40.00 Set temp. of Sec. post.  
84.17 Intersected the N. & S. line 83 lbs. S. of post.  
Land level first rate Beech, Sugar, Ash &c.  
Undergrowth Spice &c.

## West Corrected between Sec. 3 & 10

- 42.08 Set of Sec. post, at average dist. from which  
a Sugar 20 in. dia. bears N 22° W 10 lbs. dist. &  
a Beech 12 " " " S 2 E 24 " "  
84.17 to Section Corner

## North Between Sec. 3 & 4.

- 4.48 a Beech 6 in. dia.  
40.00 Set of Sec. post, from which  
a Beech 18 in. dia. bears N 49 E 17 lbs. dist. &  
a No. 8 " " " S 77 W 27 " "

187

*Mt. V. C. E. 2<sup>nd</sup> Mer. Indiana*

*ch. P. Lky*

77.16 a Beech 7 in. dia.

80.92 Intersected the N. boundary 400 lbs. N. of post.

Set post. Cor. to Sect. 3 & 4, from which

a Beech 8 in. dia. bears S 59° W 5 lbs. dist. 4

an Elm 8 " " " N 55° E 26 "

Land level first rate timber Beech, Ash, Sugar,  
undergrowth Spice &c.

August 4<sup>th</sup> 1819

North Between Sect. 32 & 33.

5.00 a Beech 6 in. dia.

12.50 a Stream 75 lbs. wide Course S W.

40.00 Set q. Sec. post. from which

a Beech 12 in. dia. bears N 6° W 14 lbs. dist. 4

a No. 7 " " " S 34° E 15 " "

80.00 Set post Cor. to Sect. 28, 29, 32 & 33, from which

a Beech 8 in. dia. bears N 13° E 2 lbs. dist. 4

a No. 9 " " " S 60° E 15 " "

Land broken 2<sup>nd</sup> rate timber Beech Oak &c.  
undergrowth Spice &c.

East On Random between Sect. 28 & 33

28.40 a Stream 50 lbs. wide course S.

40.00 Set temp. q. Sec. post

69.50 a Stream 6 lbs. wide Course S. W.

79.04 Intersected the N. & S. line 47 lbs. N. of post

Land rolling 2<sup>nd</sup> rate timber Beech, Sugar,  
undergrowth Spice &c.

West Corrected between Sect. 28 & 33

39.54 Set q. Sec. post. at average dist. from which

a Beech 18 in. dia. bears N 57° E 16 lbs. dist. 4

a No. 12 " " " S 11° E 4 " "

79.04 to Section Corner

North Between Sect. 28 & 29

## S.W. 1/4 Sec. 2, Mer. Indiana

ch. 1/4

- 11.16 a Beech 18 in. dia.  
 40.00 Set q. Sec. post, from which  
 a Beech 18 in. dia. bears S 57 E 6 lks. dist. &  
 a No. 4 " " " N 38 W 13 " "  
 51.15 a Beech 20 " "  
 60.00 Set post Cor. to Sect. 20, 21, 28 & 29, from which  
 a Sugar 15 in. dia. bears N 73 W 5 lks. dist. &  
 a Beech 5 " " " S 85 E 10 " "  
 Land level first rate timber Beech, Poplar,  
 Ash - undergrowth Spice

## East On Prandam between Sect. 21 &amp; 28

- 20.66 a Stream 8 lks. wide course S. E.  
 36.25 a No. 60 " " " S. E.  
 40.00 Set temp. q. Sec. post.  
 79.10 Intersected the N. & S. line 34 lks. S. of post.  
 Land timber &c. Same as last mile -

## West Corrected between Sect.

- 39.55 Set q. Sec. post. at average dist. from which  
 a Sugar 4 in. dia. bears S 33 W 5 lks. dist. &  
 a Beech 30 " " " N 79 E 17 " "  
 79.11 to Section Corner

## North Between Sect. 20 &amp; 21.

- 2.38 a Beech 30 in. dia.  
 40.00 Set q. Sec. post, from which  
 a Beech 12 in. dia. bears N 61 W 9 lks. dist. &  
 a No. 15 " " " S 51 E 15 " "  
 55.58 a Sugar 15 " "  
 60.50 a Spring Cr. East.  
 80.00 Set post Cor. to Sect. 16, 17, 20, & 21, from which  
 a Beech 30 in. dia. bears N 75 E 9 lks. dist. &  
 a No. 8 " " " West 26 " "  
 Land level & rich 1<sup>st</sup> rate, Beech, Sugar,  
 Poplar, Ash, underg<sup>th</sup> Spice

# 189

## T. N. R. & Co. 2<sup>nd</sup> Mer. Indiana

ch. P. Lk.

East On Prandom between Sec. 16 & 21

40.00 Set Temp. q. Sec. post.

48.50 a stream 50 lks. wide Course S. E.

78.15 Intersected the N. & S. line 58 lks. N. of post.

Land level 2<sup>nd</sup> rate beech, Sugar, Poplar, Ash &c.  
Undergrowth Spice &c.

---

West Connected between Sec.

39.08 Set q. Sec. post at average dist. from which  
a Beech 8 in. dia. bears N 77 W 12 lks. dist. &  
a No. 30 " " " N 80 E 30 " "

78.15 to Section Corner

---

North Between Sec. 16 & 17.

26.97 a Beech 5 in. dia.

40.00 Set q. Sec. post, from which

a Beech 6 in. dia. bears N 88 E 15 lks. dist. &

a No. 6 " " " N 52 W 28 " "

56.00 and Elm 9 " "

80.00 Set post Cor. to Sect. 8, 9, 16 & 17, from which

a Beech 12 in. dia. bears S 70 W 30 lks. dist. &

a Burkey 5 " " " S 60 E 6 " "

Land level first rate Beech, Sugar, Poplar, Ash &c.  
Undergrowth Spice &c.

---

East On Prandom between Sec. 9 & 16.

40.00 Set temp. q. Sec. post.

78.21 Intersected the N. & S. line 141 lks. N. of post

Land timber &c. Same as last mile

---

West Connected between Sec. 9 & 16.

39.11 Set q. Sec. post, at average dist. from which

a Beech 16 in. dia. bears S 69 W 27 lks. dist. &

an Iron? 6 " " " N 36 E 10

78.21 to Section Corner

---



190

# Mt. 129 E. 2<sup>nd</sup> Mer. Indiana

ch. P. lby

North Between Secs. 8 &amp; 9

6.00 a Wagon road supposed to lead from Vincennes to Brookwell —

38.77 a W. Oak 60 in. dia.

40.00 Set of Sec. post, from which  
an Ash 11 in. dia. bears S 17 E 12 lks. dist. &  
a Beech 7 " " " N 27 W 15 " "

40.84 a No. 30 " "

80.00 Set post Cor. to Secs. 4, 5, 8 & 9, from which  
a Beech 6 in. dia. bears N 83 W 12 lks. dist. &  
a No. 5 " " " S 76 E 27 " "  
Land timber &c. Same as last mile

East On Random between Secs. 4 &amp; 9.

40.00 Set temp. of Sec. post

78.56 Intersected the N. & S. line 100 lks. N. of post  
Land timber &c. Same as last mile

West Corrected between Secs. 4 &amp; 9

39.28 Set of Sec. post, at average dist. from which  
a Beech 8 in. dia. bears S 4 W 13 lks. dist. &  
a Lym 27 " " " N 43 W 31 " "

78.56 to Section Corner

North Between Secs. 4 &amp; 5

9.55 a Beech 24 in. dia.

40.00 Set of Sec. post, from which  
an Ash 19 in. dia. bears West 24 lks. dist. &  
a Beech 10 " " " S 83 E 12 " "

45.58 a No. 20 " "

80.60 Intersected the N. boundary 232 lks. west of post  
Set post Cor. to Secs. 4 & 5, from which  
a Beech 12 in. dia. bears S 23 E 7 lks. dist. &  
a No. 5 " " " S 89 W 26 " "  
Land timber &c. Same as on the last mile

# 191

## T10 N R9 E. 2<sup>d</sup> Mer. Indiana

ch. 4<sup>th</sup>

North Between Sec<sup>s</sup>. 31 & 32

28.22 a Stream 7 lks. wide Course S.

32.48 a Beech 6 in. dia.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 15 in. dia. bears S 37 W 20 lks. dist. &  
an Elm 18 " " " N 35 E 19 " "

81.00 Set post cor. to Sec<sup>s</sup>. 29, 30, 31 & 32, from which  
a Beech 7 in. dia. bears N 11 W 9 lks. dist. &  
a Do. 8 " " " S 66 E 30 " "

Land level 2<sup>d</sup>. rate timber, Beech, W. Oak, Ash &c.  
undergrowth Spice &c.

August 7<sup>th</sup> 1819

East On Random between Sec<sup>s</sup>. 29 & 32

26.73 a Stream 19 lks. wide Course S.

40.00 Set q<sup>r</sup>. Sec. post, from

80.64 Intersected the N. & S. line 95 lks. S. of post.  
Land broken 2<sup>d</sup>. rate timber as last mile

West Corrected between Sec<sup>s</sup>. 29 & 30

40.32 Set q<sup>r</sup>. Sec. post, at average dist. from which  
a Sugar 15 in. dia. bears S 47 E 4 lks. dist. &  
a Beech 5 " " " S 81 W 15 " "

80.64 to Section Corner

West Between Sec<sup>s</sup>. 30. & 31

1.16 an Ash 30 in. dia.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 24 in. dia. bears N 76 E 19 lks. dist. &  
a Do. 8 " " " S 36 W 6 " "

+ 84.90 Intersected the W. boundary 69 lks. S. of post  
at thick 9 in. dia. Cor. to <sup>Sec<sup>s</sup></sup> 30 & 31, from which  
a Beech 14 in. dia. bears S 85 E 43 lks. dist. &  
a Beech 5 " " " S 83 W 11 " "

+ 41.25 a Do. 7 " "

+ 65.58 a Stream 7 lks. wide Course S. E.

192 West RGE. 2.<sup>nd</sup> Mer. Indiana

Ch. Hg

Land level and wet 2.<sup>nd</sup> rate timber Beech Ash &c.  
undergrowth Spice &c. August 8<sup>th</sup> 1819.

North Between Secs. 29 & 30

23.78 a Sugar 15 in. dia.

40.00 Set of Sec. post. from which  
a Beech 7 in. dia. bears S 88 E 7 lks. dist. &  
a No. 5 " " " N 81 W 5 " "

74.31 an Ash 20 " "

80.00 Set post cor. to Secs. 19, 20, 29, & 30, from which  
a Beech 20 in. dia. bears S 39 W 9 lks. dist. &  
a Sugar 12 " " " N 8 E 39 " "

Land rolling 2.<sup>nd</sup> rate level, Ash, Poplar, Sugar,  
undergrowth Spice &c.

East On Random Between Secs. 20 & 29.

40.00 Set temp. of Sec. post

80.50 Intersected the N. & S. line 24 lks. N. of post.

Land level & first rate but scarce of water Beech  
Ash Poplar undergrowth Spice &c.

West Corrected between Secs. 20 & 29.

40.25 Set of Sec. post. at average dist. from which  
a Beech 9 in. dia. bears N 81 E 30 lks. dist. &  
a No. 12 " " " S 50 W 15 " "

80.50 to Section Corner

West Between Secs. 19 & 30

6.42 a Beech 25 in. dia.

10.00 a Small Stream —

40.00 Set of Sec. post. from which  
a Beech 12 in. dia. bears N 75 W 12 lks. dist. &  
a Hickory 20 " " " S 85 E 13 " "

41.54 a Beech 12 " "

83.54 Intersected the W. boundary 154 lks. S. of post.  
Set post Cor. to Secs. 17 & 20, from which

# 193

## Twp. 19 E. 2<sup>nd</sup> Mer. Indiana

ch. l. l. h.

a Beech 15 in. dia. bears N 77 E 33 lks. dist. &  
 a No. 24 " " " S 73 N 22 "  
 Land level first rate timber Beech, Ash, Hickory &c.  
 undergrowth Spice &c.

North Between Sec. 19 & 20

4. 02 a Beech 11 in. dia.

40. 00 Set of Sec. post, from which

a Beech 16 in. dia. bears S 52 E 11 lks. dist. &

a No. 28 " " " N 20 N 24 " "

79. 80 a Hickory 15 " "

80. 00 Set post cor. to Sec. 17, 18, 19 & 20, from which

a Beech 12 in. dia. bears N 42 N 21 lks. dist. &

a Poplar 48 " " " S 40 E 15 " "

Land level inclining to wet 2<sup>nd</sup> rate timber Beech,  
 Poplar, Ash - underg<sup>t</sup>. Spice.

East On Bandon between Sec. 17 & 20

40. 00 Set temp. of Sec. post.

80. 78 Intersected the N. & S. line 22 lks. S. of post

Land level first rate timber Beech, Poplar, Ash,  
 & Spice, underg<sup>t</sup>. Dogwood. Ironwood

August 9<sup>th</sup> 1819

West Corrected between Sec. 17 & 20

40. 39 Set of Sec. post, at average dist. from which

a Beech 30 in. dia. bears N 23 E 15 lks. dist. &

a No. 19 " " " S 42 N 7 " "

80. 78 to Section Corner

West Between Sec. 18 & 19

12. 65 a Sugar 4 in. dia.

40. 00 Set of Sec. post, from which

a Beech 3 in. dia. bears S 1 E 9 lks. dist. &

a No. 7 " " " N 37 N 16 " "

56. 97 a Beech 30 " "



194

# *N. N. R. 9 E. 2<sup>nd</sup> Mer. Indiana*

ch. 1<sup>st</sup> 1/2

- 80.81 Intersected the N. boundary 163 lks. S. of post.  
 Set post cor. to Sect. 18 & 19, from which  
 an Elm 8 in. dia. bears N 49 E 13 lks. dist. &  
 Hickory 21 " " " S 37 W 17 " "  
 Land timber &c. Same as last mile.

## *North Between Sect. 17 & 18*

- 6.82 an Ash 18 in. dia.  
 40.00 Set q. Sec. post, from which  
 a Beech 30 in. dia. bears N 84 W 4 lks. dist. &  
 a No. 13 " " " N 63 E 22 " "  
 50.83 a Stream 13 lks. wide course S.  
 58.76 a Beech 9 in. dia.  
 80.00 Set post, Cor. to Sect. 7, 8, 17 & 18, from which  
 a Beech 24 in. dia. bears N 63 E 16 lks. dist. &  
 a No. 8 " " " S 68 W 22 " "  
 Land timber &c. Same as last mile

## *East On Random between Sect. 8 & 17*

- 24.54 a Stream 20 lks. wide course S.  
 40.00 Set temp. q. Sec. post.  
 81.44 Intersected the N. & S. line 152 lks. S. of post.  
 Land timber &c. Same as last mile

## *West Corrected between Sect. 8 & 17*

- 40.72 Set q. Sec. post, at average dist. from which  
 a Beech 36 in. dia. bears South 4 lks. dist. &  
 an Iron P. 3 " " " N 13 E 3 " "  
 81.44 to Section Corner

## *West Between Sect. 7, 18,*

- 12.04 a Beech 8 in. dia.  
 40.00 Set q. Sec. post, from which  
 a Beech 7 in. dia. bears S 76 W 7 lks. dist. &  
 a B. Oak 18 " " " N 47 E 3 " "  
 70.25 an Elm 9 " " "

# T.M. N. 9 E. 2 Mer. Indiana 195

ch. 2. 117

78.56 Intersected the N. boundary 9 lks. S. of post.  
Set post Cor. to Sec. 7 & 8, from which  
a Beech 25 in. dia. bears N 48 E 31 lks. dist. &  
a W. 24 " " " S 86 W 10 " "  
Land level first half mile first rate last half  
inclining to wet 2<sup>d</sup> rate timber Beech Ash  
Poplar undergrowth Spice & paw-paw.

North Between Sec. 7 & 8

1.41 a Beech 20 in. dia. be  
40.00 Set q. Sec. post. from which  
an Ash 4 in. dia. bears S 47 W 7 lks. dist. &  
a Beech 5 " " " N 42 E 12 " "  
41.83 at Hickory 7 " "  
80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which  
a Beech 7 in. dia. bears N 55 W 18 lks. dist. &  
an Ash 13 " " " S 45 E 7 " "  
Land level inclining to wet 2<sup>d</sup> rate timber Beech,  
Ash, Poplar, undergrowth Spice &c.

East On Random between Sec. 5 & 8.

40.00 Set temp. q. Sec. post.  
81.64 Intersected the N. & S. line 53 lks. N. of post.  
Land level and scarce of water first rate Beech,  
Poplar, Ash, Spice &c.

West Corrected between Sec. 5 & 8

40.82 Set q. Sec. post. at average dist. from which  
a Beech 24 in. dia. bears S 45 W 3 lks. dist. &  
a W. 5 " " " N 1 E 14 " "  
81.64 to Section Corner

West Between Sec. 6 & 7

00.32 a Poplar 24 in. dia.  
40.00 Set q. Sec. post. from which  
a Beech 10 in. dia. bears N 47 W 23 lks. dist. &

196

Ch. 11 1/2 T. 19 E. 2<sup>d</sup>, Mer. Indiana

a Cherry 26 in. dia. bears S 11 E 3 lks. dist. 4  
 42.59 an Ash 27 " "  
 77.00 Intersected the N. boundary 17 lks. N. of post.  
 Set post Cor. to Sect. 6 & 7, from which  
 a Hackberry 2 1/4 in. dia. bears N 52 W 12 lks. dist. 4  
 a Beech 7 " " " N 34 E 18 " "  
 Land level and rich but scarce of water timber  
 Beech Ash Poplar Walnut, Oak, Sugar,  
 undergrowth Spice

North Between Sect. 5. & 6

2.85 a W. Oak 60 in. dia.

40.00 Set of. Sec. post. from which  
 a Beech 2 1/4 in. dia. bears N 69 W 14 lks. dist. 4  
 an Ironw. 3 " " " S 83 E 6 " "

51.07 a Beech 25 " "

81.40 Intersected the N. boundary 500 lks. N. of post.  
 Set post. Cor. to Sect. 5 & 6, from which  
 a Sugar 11 in. dia. bears S 12 E 41 lks. dist. 4  
 a Beech 48 " " " N 15 E 3 " "  
 Land level inclining to wet - 2<sup>d</sup> rate timber  
 Beech, Ash, Poplar, Walnut Sugar &c.  
 undergrowth Spice &c. very thick.

August 10<sup>th</sup>. 1899 variation 6.45 E

Surveyed By

John Hendricks,

Deputy Surveyor

Comp.

I certify, that the foregoing transcript of field notes  
of Township N. 10 North, of range N. 9 East 2. Mer.  
Indiana, has been compared with the original notes  
in this Office, and found to be correct.  
Surveyor General's Office  
Cincinnati, Oct. 29. 1842

William Johnston  
Sur. Genl.